

# Safety Data Sheet

Date of Issue: 29 March

---

## SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

### PRODUCT NAME:

**Clean Scene Pellets**

### RECOMMENDED USE:

Urinal odour eliminator and drain uric acid remover

### SUPPLIER DETAILS:

Company: Insight Environmental  
Address: 40 Hargreaves Street BELMONT WA 6104 Australia  
Telephone Number: (+61-8) 9474 8400  
Facsimile Number: (+61-8) 9477 3565  
E-mail: enquiries@insightenvironmental.com.au  
Emergency Telephone No: (+61-8) 9474 8400 Monday to Friday 7.00 am to 5.00 pm

---

## SECTION 2: HAZARDS IDENTIFICATION

---

Not classified as hazardous according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

Non Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail.

---

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

---

Chemical Name	CAS Number	Proportion
Oxygen Donor	N/A	10 – 60%
Flocculants	N/A	10 – 60%
Builders	N/A	10 – 60%

---

## SECTION 4: FIRST AID MEASURES

---

**Considered to be non-harmful by all exposure routes.** Contact with skin may result in mild irritation for those with sensitive skin due to degreasing action. A moderate eye irritant. As with any chemical, ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

### FIRST AID

**Skin:** Removed contaminated clothing. Launder before re-use. Wash affected area thoroughly with soap and water. If irritation persists, seek medical attention immediately.

**Eyes:** Immediately flush the contaminated eyes with lukewarm, gently flowing water for 20 minutes, holding the eyelids open. Take care not to rinse contaminated water into the non-affected eye. If irritation persists, seek medical attention immediately.

**Ingestion:** Rinse mouth thoroughly with water. Do NOT induce vomiting. If breathing has stopped, trained personnel should begin artificial respiration. If the heart has stopped, begin CPR immediately.

**Inhalation:** Remove victim to fresh air. If discomfort persists, seek medical advice.

**Advice to Doctor:** Treat symptomatically based on judgement of doctor and individual reactions of patient.

Ensure an eye bath and safety shower are available and ready for use.

---

## **SECTION 5: FIRE FIGHTING MEASURES**

---

Not flammable under conditions of use.

Releases small amounts of oxygen if involved in fire. Fire-fighters should wear full protective clothing including self-contained breathing apparatus. Use equipment/media appropriate to surrounding fire conditions.

Fire Fighting: Water, Foam or BCF.

Flash point: Will not burn.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

Spills: Gather up dry material for recovery or disposal. Flush remainder to sewer with plenty of water. Do not allow any residue to enter waterways or stormwater drains.

Disposal: Dispose of according to local authority regulations.

---

## **SECTION 7: HANDLING AND STORAGE**

---

Good hygiene associated with handling of chemicals.

Keep container closed when not in use. Protect from moisture.

---

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

### **EXPOSURE STANDARDS**

No exposure standard allocated.

### **ENGINEERING CONTROLS**

Use dry material in well ventilated area.

### **PERSONAL PROTECTION**

Wear approved dust mask, gloves and eye protection when handling concentrate, gloves and eye protection when handling solution. Because of the nature of the product (tablet form), it is unlikely that dust will be present, but if the dust exposure limits are exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use of concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (eg lubricants, cutting fluids, glycerine, etc) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full facepiece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

---

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---

Appearance:	Cylindrical white pellet, 2.5 grams approximately in weight.
Odour:	No odour
Solubility:	Approx. 1000 g/L
Specific Gravity (20°C):	N/A
pH:	4.0 – 5.0

---

**SECTION 10: STABILITY AND REACTIVITY**

---

Clean Scene Pellets decompose very slowly with release of oxygen and consequent drop in activity.

Does not release toxic gases on mixing with acids. Avoid strong alkalis. Oxygen if involved in fire.

Not classified as hazardous according to criteria of Worksafe Australia.

---

**SECTION 11: TOXICOLOGY INFORMATION**

---

When used in accordance with label and this MSDS, no adverse effects are anticipated.

Oral LD50:	>4000 mg/KG	Inhalation LD50:	Not determined
Dermal LD50:	Not determined	Toxic Dose/Concentration:	Not determined
TLV:	Not determined		

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

This material is not toxic to aquatic life.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

Dispose of according to local authority regulations

---

**SECTION 14: TRANSPORT INFORMATION**

---

Not regulated.

---

**SECTION 15: REGULATORY INFORMATION**

---

		<u>TSCA</u>	<u>EC</u>	<u>Australia</u>
Chemical Inventory Status – All ingredients:	Yes	Yes	Yes	
California Prop 65 List – All ingredients:	No			
SARA 303 List – All ingredients:	No			
RCRA 261.33:	No			
TSCA 8(d):	No			
Chemical Weapons Convention:	No	TSCA 12(b): No	CDTA: No	
SARA 311/312:	Acute: Yes	Chronic: No	Fire: No	Pressure: No
Reactivity:	No (Mixture/Solid)			

---

**SECTION 16: OTHER INFORMATION**

---

LAST REVISION DATE: 27 March 2017

Safety Data Sheets are current for a maximum of five years but may be updated more frequently. Please ensure that you have a current copy.

All information contained in this Data Sheet is as accurate and up-to-date as possible. Since Insight Environmental and its subsidiary companies cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application. Insight Environmental and its subsidiary companies will not be responsible for damages of any nature resulting from use of or reliance upon the information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.

---

**END OF DOCUMENT**

---